
**Rolling bearings — Measuring methods
for vibration —**

Part 2:

**Radial ball bearings with cylindrical bore
and outside surface**

Roulements — Méthodes de mesure des vibrations —

*Partie 2: Roulements à billes radiaux, à alésage et surface extérieure
cylindriques*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 15242-2:2004

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Measurement process	2
4.1 Speed of rotation	2
4.2 Bearing axial load	2
5 Measurement and evaluation methods	2
5.1 Physical quantity measured	2
5.2 Frequency range	2
5.3 Peak measurement	3
5.4 Testing sequence	3
6 Conditions for measurement	4
6.1 Bearing conditions for measurement	4
6.2 Conditions of the test environment	4
6.3 Conditions for the test device	4
6.4 Requirements for the operator	7
Annex A (normative) Measurement of external axial loading alignment	8
Bibliography	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15242-2 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*.

ISO 15242 consists of the following parts, under the general title *Rolling bearings — Measuring methods for vibration*:

- *Part 1: Fundamentals*
- *Part 2: Radial ball bearings with cylindrical bore and outside surface*
- *Part 3: Radial double-row spherical and tapered roller bearings with cylindrical bore and outside surface*

Introduction

Vibration of rotating rolling bearings is a complex physical phenomenon dependent on the conditions of operation. Measuring the vibration output of an individual bearing under a certain set of conditions does not necessarily characterize the vibration output under a different set of conditions or when the bearing becomes part of a larger assembly. Assessment of the audible sound generated by the mechanical system incorporating the bearing is complicated further by the influence of the interface conditions, the location and orientation of the sensing device, and the acoustical environment in which the system operates. Assessment of airborne noise that, for the purpose of this document, can be defined as any disagreeable and undesired sound, is further complicated by the subjective nature of the terms “disagreeable” and “undesired”. Structure-borne vibration can be considered the driving mechanism that ultimately results in the generation of airborne noise. Only selected methods for the measurement of the structure-borne vibration of rotating rolling bearings are addressed in the current edition of ISO 15242.

Vibration of rotating rolling bearings can be assessed by any of a number of means using various types of transducers and test conditions. No simple set of values characterizing vibration of a bearing is adequate for the evaluation of the vibratory performance in all possible applications. Ultimately, a knowledge of the type of bearing, its application and the purpose of the vibration testing (e.g. as a manufacturing process diagnostic or an assessment of product quality) is required to select the most suitable method for testing. The field of application for standards on bearing vibration is, therefore, not universal. However, certain methods have established a wide enough level of application to be considered as standard methods for the purposes of this part of ISO 15242.

This part of ISO 15242 serves to define the detailed method for assessing vibration of radial ball bearings with cylindrical bore and outside surface on a test rig.

Rolling bearings — Measuring methods for vibration —

Part 2:

Radial ball bearings with cylindrical bore and outside surface

1 Scope

This part of ISO 15242 specifies vibration measuring methods for single-row and double-row radial ball bearings, with a contact angle up to and including 45°, under established test conditions.

It covers radial ball bearings with cylindrical bore and outside surface, except bearings with filling slots and three- and four-point-contact ball bearings.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-2, *ISO system of limits and fits — Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts*

ISO 554, *Standard atmospheres for conditioning and/or testing — Specifications*

ISO 558, *Conditioning and testing — Standard atmospheres — Definitions*

ISO 1132-1, *Rolling bearings — Tolerances — Part 1: Terms and definitions*

ISO 2041, *Vibration and shock — Vocabulary*

ISO 3205, *Preferred test temperatures*

ISO 3448, *Industrial liquid lubricants — ISO viscosity classification*

ISO 5593, *Rolling bearings — Vocabulary*

ISO 15242-1:2004, *Rolling bearings — Measuring methods for vibration — Part 1: Fundamentals*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1132-1, ISO 2041, ISO 5593 and ISO 15242-1 apply.

4 Measurement process

4.1 Speed of rotation

The default speed of rotation shall be 30 s^{-1} (1 800 r/min), with a tolerance of $^{+1}_{-2} \%$.

Other speeds and tolerances may be used by agreement between the manufacturer and the customer; e.g. it may be necessary to use a higher speed for bearings in the smaller size range [40 s^{-1} to 60 s^{-1} (2 400 r/min to 3 600 r/min)] in order to obtain an adequate vibration signal. Conversely, it may be necessary to use a lower speed for bearings in the larger size range [10 s^{-1} to 20 s^{-1} (600 r/min to 1 200 r/min)] to avoid possible ball and raceway damage.

4.2 Bearing axial load

The bearing load shall be in the axial direction with default values as specified in Table 1.

Table 1 — Default values for bearing axial load

Bearing outside diameter <i>D</i>		Single-row and double-row deep groove and self-aligning radial ball bearings		Single-row and double-row angular contact radial ball bearings			
				Contact angle > 10° ≤ 23°		Contact angle > 23° ≤ 45°	
		Default values for axial load					
>	≤	min.	max.	min.	max.	min.	max.
mm		N		N		N	
10	25	18	22	27	33	36	44
25	50	63	77	90	110	126	154
50	100	135	165	203	247	270	330
100	140	360	440	540	660	720	880
140	170	585	715	878	1 072	1 170	1 430
170	200	810	990	1 215	1 485	1 620	1 980

Other axial loads and tolerances may be used by agreement between the manufacturer and the customer; e.g., depending on bearing design and lubricant used, it may be necessary to use a higher load to prevent ball/raceway slip, or a lower load to avoid possible ball and raceway damage.

5 Measurement and evaluation methods

5.1 Physical quantity measured

The default physical quantity to be measured is vibration velocity, $v_{r.m.s.}$ ($\mu\text{m/s}$), in the radial direction.

5.2 Frequency range

The velocity signal shall be measured in one or more bands with default frequency ranges as specified in Table 2.

Table 2 — Default frequency ranges

Speed of rotation		Low band (L) ^a		Medium band (M) ^a		High band (H) ^a	
		Default frequencies					
		min.	max.	f_{low}	f_{high}	f_{low}	f_{high}
r/min		Hz		Hz		Hz	
1 764	1 818	50	300	300	1 800	1 800	10 000

^a For rotational speeds other than the nominal 1 800 r/min, the frequency range should be adjusted in proportion to the speed. For practical reasons, frequencies lower than 50 Hz or higher than 10 000 Hz should not be used, unless agreed upon between the manufacturer and the customer.

NOTE Other frequency ranges may be considered by agreement between the manufacturer and the customer in those instances where specific ranges have greater importance to successful operation of the bearing.

The use of spectral analysis of the vibration signal is an alternative.

5.3 Peak measurement

Detection of peaks or spikes in the time domain velocity signal, usually due to surface defects and/or contamination in the test bearing, may be considered as a supplementary option by agreement between the manufacturer and the customer. Various evaluation methods exist depending on the bearing type and the application.

5.4 Testing sequence

All bearings, except for single-row angular contact ball bearings, shall be tested with the axial load applied from one side of the outer ring and the test repeated with the axial load on the other side of the outer ring. Single-row angular contact ball bearings shall be tested in their axial load acceptance direction only.

For diagnostic purposes, performing multiple measurements with the outer ring in different angular positions relative to the pick-up is appropriate.

For acceptance of the bearing, the highest vibration reading for the appropriate frequency band shall be within the limits mutually agreed upon between the manufacturer and the customer.

For test duration see ISO 15242-1:2004, 6.5.

6 Conditions for measurement

6.1 Bearing conditions for measurement

6.1.1 Prelubrication

Prelubricated (greased, oiled or solid lubricated) bearings, including sealed and shielded types, shall be tested in the as-delivered condition.

NOTE Some greases, oils and solid lubricants increase or decrease bearing vibration levels in comparison with the reference conditions in 6.1.2 and 6.1.3.

The following reference condition procedures (6.1.2 and 6.1.3) normally apply for bearings that are not prelubricated. However, they may also be used in cases of dispute regarding the source of unacceptable vibration levels.

6.1.2 Cleanliness of the bearing

Since contamination affects vibration levels, the bearings must be cleaned effectively, taking care not to introduce contamination or other sources of vibration.

NOTE Some preservatives may meet the lubrication requirements (see 6.1.3) for vibration testing. In this case, it is not necessary to remove the preservative.

6.1.3 Lubrication

Before testing, bearings shall be adequately lubricated with filtered oil ($0,8\text{ }\mu\text{m}$ maximum filter), having a nominal viscosity in the range of $10\text{ mm}^2/\text{s}$ to $100\text{ mm}^2/\text{s}$. Additional information is given in ISO 3448.

The lubrication procedure shall include some running-in to achieve homogeneous distribution of the lubricant within the bearing.

NOTE Other lubricant viscosities may be agreed upon between the manufacturer and the customer in order to suit the application.

6.2 Conditions of the test environment

The bearings shall be tested at room temperature in an environment that does not influence the bearing vibration. Additional information is given in ISO 554, ISO 558 and ISO 3205.

6.3 Conditions for the test device

6.3.1 Stiffness of the spindle/mandrel arrangement

The spindle (including the mandrel) used to hold and drive the bearing inner ring shall be so designed and constructed that, except for transmittal of rotary motion, it represents essentially a rigid reference system for the inner ring axis. The transmission of vibration between the spindle/mandrel arrangement and the bearing inner ring in the frequency band used shall be negligible by comparison to the velocities measured (in cases of dispute, precise values shall be agreed upon between the manufacturer and the customer).

6.3.2 Loading mechanism

The loading system used to apply load to the bearing outer ring shall, ideally, be designed and constructed so that it leaves the ring essentially free to vibrate in all radial, axial, angular or flexural modes according to the bearing type.

6.3.3 Magnitude and alignment of the external load applied to the bearing

A constant external axial load of the magnitude specified in 4.2 shall be applied to the outer ring.

The distortion of the bearing rings, caused by contact with elements of the mechanical unit, shall be negligible in comparison to the inherent geometrical accuracy of the bearing under test.

The position and direction of the externally applied load shall coincide with the spindle axis of rotation within the limits given in Figure 1 and Table 3. See Annex A for a measurement description.




Figure 1 — Load axis deviation in relation to axis of bearing inner ring rotation

Table 3 — Values for load axis deviation in relation to axis of bearing inner ring rotation

Bearing outside diameter		Radial deviation from axis of bearing inner ring rotation	Angular deviation from axis of bearing inner ring rotation
D		H	β
$>$	$\leq$	max.	max.
mm		mm	°
10	25	0,2	0,5
25	50	0,4	
50	100	0,8	
100	140	1,6	
140	170	2	
170	200	2,5	

6.3.4 Axial location of pick-up and direction of measurement

The pick-up shall be placed and orientated as follows:

Default axial location: On the outside surface of the outer ring in the plane corresponding to the middle of the loaded outer ring raceway/ball contacts (see Figure 2). The manufacturer shall supply this data.




Figure 2 — Measurement — Pick-up default axial location

Alternative location (except for deep groove ball bearings): The centre of the outer ring width, see Figure 3 (this may result in a different vibration signal).




Figure 3 — Measurement — Alternative pick-up location

Once the pick-up position is determined, the maximum permissible axial deviation is:

For outer diameter ≤ 70 mm: $\pm 0,5$ mm.

For outer diameter > 70 mm: $\pm 1,0$ mm.