

1. Present Requirement: 2.0 Applicable documents, Page 6

MIL-C-45662 Calibration System Requirements
MIL-STD-105 Sampling Procedures & Tables for Inspection Attributes

Change Requirement: 2.0 Applicable documents, Page 6

Delete MIL-C-45662, and references MIL-STD-105

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995, and Ser: 456300C60-50.111 dated 1 October 1995

2. Present Requirement: 2.2 Other publications, Page 7

Not specified

Change Requirement: 2.2 Other publications, Page 7 add after "(Application ----- New York.)"

AMERICAN NATIONAL STANDARDS INSTITUTE
ANSI/ISO 10012-1 Quality Assurance Requirements for Measuring Equipment
(Application for copies should be addressed to the American National Standards Institute, 11 West 42nd Street, New York, NY 10036)

AMERICAN SOCIETY FOR QUALITY CONTROL
ASQC Z1.4, SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES
(Application for copies should be addressed to the American Society of Quality Control, PO Box 3005, 611 East Wisconsin Ave, Milwaukee, WI 53201-46004)

NATIONAL CONFERENCE OF STANDARDS LABORATORIES
NCSL Z540-1, -General Requirements for Calibration Laboratories and Measuring and Test Equipment (Application for copies should be addressed to the National Conference of Standards Laboratories, 1800 30th Street, 305B, Boulder, CO 80301-1032)

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995, and Ser: 456300C60-50.111 dated 1 October 1995

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2007 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
SAE WEB ADDRESS: <http://www.sae.org>

3. Present Requirement: Section 4. QUALITY ASSURANCE PROVISIONS, 4.1.1 "Test equipment and inspection facility", last sentence on Page 24

"Calibration ---- MIL-STD-45662."

Change Requirement: Section 4. QUALITY ASSURANCE PROVISIONS, 4.1.1 "Test equipment and inspection facility", last sentence on Page 24

"Calibration: ---- ANSI/NC SL Z540-1 or ISO 10012-1."

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-50.111 dated 1 October 1995.

4. Present Requirement: 4.5.1.3.1 Sampling plan, Page 28

"Sampling plan: Statistical sampling and inspection shall be in accordance with MIL-STD-105 for general inspection level II. The acceptable quality shall be 1.0."

Change Requirement: 4.5.1.3.1 Sampling plan, Page 28

"Sampling plan: Statistical sampling and inspection shall be in accordance with ANSI/ASQC Z1.4 for general inspection level II. The acceptable quality shall be 1.0. Major and minor defects shall be as defined herein (see 6.8)."

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995

5. Present Requirement: 6.3 Qualification, Page 42

"With respect to products requiring qualification, awards will be made only for products which are at the time set for opening of bids, qualified for inclusion in applicable qualified products list (QPL) whether or not such products have actually been so listed by that date. The attention of the manufacturers is called to this requirement, and they are urged to arrange to have products that they propose to offer to the Federal Government tested for qualification in order that they may be eligible to be awarded contracts or orders for the products covered by this specification. Information pertaining to the qualification of products may be obtained from the Naval Air Warfare Center Aircraft Division Patuxent River, Code 4.4.4, Building 1461, 48256 Shaw Road, Unit 4, Patuxent River, MD 20670."

Change Requirement: 6.3 Qualification, Page 42:

"With respect to products requiring qualification by the government, awards will be made only for products, which are at the time set for opening of bids, qualified for inclusion in the applicable Qualified Products List (QPL), whether such products have actually been so listed by that date. The attention of the contractors is called to these requirements, and manufacturers (suppliers) are urged to arrange to have the products that they propose to offer to the Federal Government tested for qualification in order that they may be eligible to be awarded contracts for the products delineated in this specification. Qualification is required for U.S. Government procurement. The qualifying activity, for U.S. Department of Defense procurement purposes, is the Naval Air Systems Command (Code 4.4.5.3), 22229 Elmer Road, Bldg. 2360, Room 107, Patuxent River, MD 20670. Application for qualification tests shall be made in accordance with provisions governing qualification in SD-6. Unless otherwise specified by contract, commercial procurement of these products shall meet these requirements."

Rationale for Change: The qualifying activity has requested the paragraph to be changed to establish the correct address and qualification submittal requirements which may be impacting timely procurement of SAE designated components.

Amendment A1: September 2004**1. Present Requirement: 2.0 Applicable documents, Page 6**

MIL-C-45662 Calibration System Requirements
MIL-STD-105 Sampling Procedures & Tables for Inspection Attributes

Change Requirement: 2.0 Applicable documents, Page 6

Delete MIL-C-45662, and references MIL-STD-105

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995, and Ser: 456300C60-50.111 dated 1 October 1995

2. Present Requirement: 2.2 Other publications, Page 7

Not specified

Change Requirement: 2.2 Other publications, Page 7 add after "(Application ----- New York.)"

AMERICAN NATIONAL STANDARDS INSTITUTE
ANSI/ISO 10012-1 Quality Assurance Requirements for Measuring Equipment
(Application for copies should be addressed to the American National Standards Institute, 11 West 42nd Street, New York, NY 10036)

AMERICAN SOCIETY FOR QUALITY CONTROL
ASQC Z1.4, SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES
(Application for copies should be addressed to the American Society of Quality Control, PO Box 3005, 611 East Wisconsin Ave, Milwaukee, WI 53201-46004)

NATIONAL CONFERENCE OF STANDARDS LABORATORIES
NCSL Z540-1, -General Requirements for Calibration Laboratories and Measuring and Test Equipment
(Application for copies should be addressed to the National Conference of Standards Laboratories, 1800 30th Street, 305B, Boulder, CO 80301-1032)

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-BS50.93 dated SEP 29 1995, and Ser: 456300C60-50.111 dated 1 October 1995

3. Present Requirement: Section 4. QUALITY ASSURANCE PROVISIONS, 4.1.1 "Test equipment and inspection facility", last sentence on Page 24

"Calibration ----- MIL-STD-45662."

Change Requirement: Section 4. QUALITY ASSURANCE PROVISIONS, 4.1.1 "Test equipment and inspection facility", last sentence on Page 24

"Calibration: ----- ANSI/NCSL Z540-1 or ISO 10012-1."

Rationale for Change: Incorporate Department of the Navy Engineering Position Letter Ser: 456300C60-50.111 dated 1 October 1995.