

SAE-AS9356

ADOPTION NOTICE

SAE-AS9356, "NUT, PLAIN, HEXAGON-A-286", was adopted on 29 DECEMBER 1999 for use by the Department of Defense (DoD). Proposed changes by DoD Activities must be submitted to the DoD Adopting Activity: Defense Supply Center Philadelphia, ATTN: DSCP-ILEA, 700 Robbins Avenue, Philadelphia, PA 19111-5096. DoD Activities may obtain copies of this standard from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the SOCIETY OF AUTOMOTIVE ENGINEERS, INC., 400 COMMONWEALTH DRIVE, WARRENDALE, PA 15096-0001.

Custodians:

Army - AV
Navy - AS
Air Force - 99
DLA-IS

Adopting activity:

DLA-IS

(Project 5310-2536-003)

AMSC N/A

FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

FEDERAL SUPPLY CLASS
5310


NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9356F AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9356F. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

THIRD ANGLE PROJECTION



PREPARED BY SAE COMMITTEE E-25

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space
INTERNATIONAL

400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE STANDARD

NUT, PLAIN, HEXAGON -A-286

AS9356
SHEET 1 OF 3

ISSUED 1999-12

Copyright 1999 Society of Automotive Engineers, Inc.
All rights reserved.

QUESTIONS REGARDING THIS DOCUMENT: (724) 772-8510
TO PLACE A DOCUMENT ORDER: (724) 776-4970

FAX: () Distributed under license from the IHS Archive RESS:
FAX: (24) 776-0790

<http://www.sae.org>

Printed in the U.S.A.

AS9356

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

SAENORM.COM : Click to view the full PDF of as9356

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NO.	A	B +.000 -.060	C	L REF	APPROX WEIGHT LBS/100	DASH NO.	A	B +.000 -.060	C	L REF	APPROX WEIGHT LBS/100
-001	.438	.17	.500	1.084	1.75	-050	.500	.17	.500	1.156	1.83
-002	.438	.17	.562	1.156	1.83	-051	.500	.17	.562	1.219	1.89
-003	.438	.17	.625	1.219	1.89	-052	.500	.17	.625	1.281	1.98
-004	.438	.17	.688	1.281	1.98	-053	.500	.17	.688	1.344	2.03
-005	.438	.17	.750	1.344	2.03	-054	.500	.17	.750	1.406	2.12
-006	.438	.17	.812	1.406	2.12	-055	.500	.17	.812	1.469	2.17
-007	.438	.125	.875	1.469	2.17	-056	.500	.125	.875	1.531	2.26
-008	.438	.188	.938	1.531	2.26	-057	.500	.188	.938	1.594	2.32
-009	.438	.250	1.000	1.594	2.32	-058	.500	.250	1.000	1.656	2.40
-010	.438	.312	1.062	1.656	2.40	-059	.500	.312	1.062	1.719	2.46
-011	.438	.375	1.125	1.719	2.46	-060	.500	.375	1.125	1.781	2.54
-012	.438	.438	1.188	1.781	2.54	-061	.500	.438	1.188	1.844	2.60
-013	.438	.500	1.250	1.844	2.60	-062	.500	.500	1.250	1.906	2.68
-014	.438	.562	1.312	1.906	2.68	-063	.500	.562	1.312	1.969	2.74
-015	.438	.625	1.375	1.969	2.74	-064	.500	.625	1.375	2.031	2.83
-016	.438	.688	1.438	2.031	2.83	-065	.500	.688	1.438	2.094	2.88
-017	.438	.750	1.500	2.094	2.88	-066	.500	.750	1.500	2.156	2.97
-018	.438	.812	1.562	2.156	2.97	-067	.500	.812	1.562	2.219	3.02
-019	.438	.875	1.625	2.219	3.02	-068	.500	.875	1.625	2.281	3.11
-020	.438	.938	1.688	2.281	3.11	-069	.500	.938	1.688	2.344	3.16
-021	.438	1.000	1.750	2.344	3.16	-070	.500	1.000	1.750	2.406	3.25
-022	.438	1.062	1.812	2.406	3.25	-071	.500	1.062	1.812	2.469	3.31
-023	.438	1.125	1.875	2.469	3.31	-072	.500	1.125	1.875	2.531	3.39
-024	.438	1.188	1.938	2.531	3.39	-073	.500	1.188	1.938	2.594	3.45
-025	.438	1.250	2.000	2.594	3.45	-074	.500	1.250	2.000	2.656	3.53