



UL 1313

STANDARD FOR SAFETY

Nonmetallic Safety Cans for Petroleum
Products

ULNORM.COM : Click to view the full PDF of UL 1313 2015

ULNORM.COM : Click to view the full PDF of UL 1313 2015

UL Standard for Safety for Nonmetallic Safety Cans for Petroleum Products, UL 1313

Third Edition, Dated December 16, 2015

Summary of Topics

This ANSI/UL 1313 new edition includes the following changes in requirements:

- ***Clarify general requirements in Section 3***
- ***Update references to ASTM standards***
- ***Revise UV test methods in Section 26.3 to reflect updated practice***

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated October 30, 2015.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard “as is” without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 1313 2015