



UL 2438

STANDARD FOR SAFETY

Outdoor Seasonal-Use Cord- Connected Wiring Devices

ULNORM.COM : Click to view the full PDF of UL 2438 2022

ULNORM.COM : Click to view the full PDF of UL 2438 2022

UL Standard for Safety for Outdoor Seasonal-Use Cord-Connected Wiring Devices, UL 2438

Second Edition, Dated November 14, 2014

Summary of Topics

This revision of ANSI/UL 2438 dated December 6, 2022 includes reference to the Standard for Marking and Labeling Systems – Flag Labels, Flag Tags, Wrap-Around Labels and Related Products, UL 969A, for a consistent approach for permanence of marking requirements for flag labels, flag tags, and wrap-around labels; [45.1](#) and [45.3](#)

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated September 30, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 2438 2022

NOVEMBER 14, 2014
(Title Page Reprinted: December 6, 2022)



ANSI/UL 2438-2022

1

UL 2438

Standard for Outdoor Seasonal-Use Cord-Connected Wiring Devices

First Edition – June, 2006

Second Edition

November 14, 2014

This ANSI/UL Standard for Safety consists of the Second edition including revisions through December 6, 2022.

The most recent designation of ANSI/UL 2438 as a Reaffirmed American National Standard (ANS) occurred on December 6, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2022 UNDERWRITERS LABORATORIES INC.

ULNORM.COM. Click to view the full PDF of UL 2438 2022

No Text on This Page

[ULNORM.COM](https://www.ulnorm.com) : Click to view the full PDF of UL 2438 2022

CONTENTS

INTRODUCTION

1 Scope5
 2 Components5
 3 Units of Measurement5
 4 Undated References6

CONSTRUCTION

5 General6
 6 Flexible Cord6
 7 Fittings7
 8 Drain Openings9
 9 Gaskets9
 10 Fittings Intended to Accommodate Fuses or Overcurrent Protection9
 11 Devices Employing Remote Control Features12
 12 Devices Employing Audio Features12
 13 Devices Employing Synchronized Features12

PERFORMANCE

14 Representative Devices12
 15 Comparative Tracking Index Test14
 16 Glow Wire Test14
 17 High-Current Arc Resistance to Ignition14
 18 Mold Stress Relief Test15
 19 Moisture Absorption Resistance Test16
 20 Conductor Secureness Test16
 21 Leakage Current Test16
 22 Leakage Current Following Humidity Conditioning18
 23 Fuseholder Temperature Test18
 24 Fuseholder Crush Test20
 25 Fuseholder Cover Test20
 26 Strain Relief Test21
 27 Rain and Sprinkler Test21
 27.1 Test method – general21
 27.2 Test method – rain test21
 27.3 Test method – sprinkler test24
 27.4 Test results25
 28 Gasket Test25
 29 Gasket Adhesion Test25
 30 Ultraviolet (UV) Light Exposure Test25
 30.1 General25
 30.2 UV conditioning26
 31 Impact Test27
 32 Cold Impact Test29
 33 Resistance to Crushing Test29
 34 Adhesive Test29
 35 Calibration Test30
 36 Fault Current Test30
 37 Retention of Plugs Tests30
 38 Overload Test31
 39 Temperature Test31

40	Retention of Plugs Test (Repeated).....	32
40.1	General.....	32
40.2	Plug retention.....	32
40.3	Plug withdrawal.....	33
41	Resistance to Arcing Test.....	33
42	Grounding Contact Test.....	33
43	Component Temperature Test.....	38

RATING

44	General.....	39
----	--------------	----

MARKINGS

45	General.....	39
----	--------------	----

PACKAGING AND USE INSTRUCTIONS

46	General.....	41
----	--------------	----

APPENDIX A

	Standards for Components.....	42
--	-------------------------------	----

ULNORM.COM : Click to view the full PDF of UL 2438 2022

INTRODUCTION

1 Scope

1.1 The requirements of this Standard cover outdoor seasonal-use cord-connected wiring devices that are intended for temporary outdoor use – not to exceed 90 days – with outdoor equipment, Christmas-tree, and other seasonal decorative-lighting outfits. Some outdoor seasonal-use cord-connected wiring devices employ additional devices such as photoelectric sensors, fuses, supplementary protectors, timers, audio, flasher control or synchronized features. Products employing additional devices shall meet the intent and testing described in this Standard.

1.2 These requirements only cover devices of the 2-pole, 3-wire, 5-15 configuration as shown in Wiring Devices – Dimensional Specifications, ANSI/NEMA WD6.

1.3 These requirements cover devices with remote control features that comply with the Standard for Solid-State Controls for Appliances, UL 244A. See Devices Employing Remote Control Features, Section [11](#). Compliance with the Standard for Automatic Electrical Controls for Household and Similar Use, Part 1: General Requirements, UL 60730-1, and/or the applicable Part 2 standard from the UL 60730 series fulfills these requirements.

1.4 These requirements cover devices with audio features that comply with the Standard for Audio, Video, and Similar Electronic Apparatus – Safety Requirements, UL 60065, or the Standard for Audio/Video, Information and Communication Technology Equipment – Part 1: Safety Requirements, UL 62368-1. See Devices Employing Audio Features, Section [12](#).

1.5 These requirements are intended to be used with the Standard for Cord Sets and Power-Supply Cords, UL 817.

2 Components

2.1 Except as indicated in [2.2](#), a component of a product covered by this Standard shall comply with the requirements for that component. See Appendix [A](#) for a list of standards covering components generally used in the products covered by this standard.

2.2 A component is not required to comply with a specific requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product covered by this standard, or
- b) Is superseded by a requirement in this standard.

2.3 A component shall be used in accordance with its rating established for the intended conditions of use.

2.4 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

3 Units of Measurement

3.1 Values stated without parentheses are the requirement. Values in parentheses are explanatory or approximate information.